

Google scholar

intitle:location hierarchical node client first sec

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)Scholar - ▾

Results 1 - 17 of 17. (0.24 sec)

Did you mean: [intitle:location hierarchical node client first second link attribute based OR OR](#)
[OR **content** OR OR OR aware](#)[\[PDF\]](#) ► [A scalable **location** service with fast update responses](#)

L Bernardo, P Pinto - IEEE Global Telecommunications Conference (...), 1998 - Citeseer

... The time to process **location** service requests and service ... clients were created at
all 625 **nodes** with a ... The **first hierarchical** level of L-server network has a ...[Cited by 8](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 11 versions](#)[Scalable and flexible **location-based** services for ubiquitous information access-](#) ► [uminho.pt](#)[\[PDF\]](#)

R Jose, N Davies - Lecture notes in computer science, 1999 - Springer

... in its assumption that every **node** can independently ... The use of a **location hierarchy**
supports some interesting ... progress from the Service **Location** Working Group ...[Cited by 57](#) - [Related articles](#) - [BL Direct](#) - [All 6 versions](#)[Distributed fault **location** in networks using mobile agents-](#) ► [psu.edu](#) [\[PDF\]](#)

T White, A Bieszczad, B Pagurek - Lecture notes in computer science, 1998 - Springer

... **Fault location** is achieved as a consequence of agents moving ... that includes a rich
class **hierarchy** for communication ... **node** or the utilization of the **node** itself. ...[Cited by 37](#) - [Related articles](#) - [BL Direct](#) - [All 12 versions](#)[Composable ad hoc **location-based** services for heterogeneous mobile clients-](#) ► [psu.edu](#)[\[PDF\]](#)

TD Hodes, RH Katz - Wireless Networks, 1999 - Springer

... not necessarily, aligned to the naming **hierarchy** like DNS ... scoping) prevents remote
access from **nodes** even on ... RH Katz / Composable ad hoc **location-based** services ...[Cited by 69](#) - [Related articles](#) - [BL Direct](#) - [All 24 versions](#)[\[PDF\]](#) ► [Resource **location** in very large networks](#)

P Dasgupta - ... IEEE Computer Society First International Workshop on ..., 1994 - cactus.eas.asu.edu

... a particular controlling site (a computer **node**, a telephone ... the old site of its new
location (forwarding chain ... site may notify all the **hierarchical** servers of ...[Cited by 18](#) - [Related articles](#) - [View as HTML](#) - [All 4 versions](#)[Active names: Flexible **location** and transport of wide-area resources-](#) ► [psu.edu](#) [\[PDF\]](#)A Vahdat, M Dahlin, T Anderson, A Aggarwal - Proc. USENIX Symp. on Internet Technologies & ..., 1999 -
[doi.ieeecomputersociety.org](#)... Because **location** preferences are namespace dependent, one program does not typically ...
the same program on a re- solver **node** more to ... 3.4 **Hierarchical** Name Space ...[Cited by 124](#) - [Related articles](#) - [All 41 versions](#)[Distributed fault **location** in networks using learning mobile agents-](#) ► [carleton.ca](#) [\[PDF\]](#)

T White, B Pagurek - Lecture Notes in Computer Science, 1999 - Springer

... that includes a rich class **hierarchy** for communication ... Distributed Fault **Location**

in Networks Using Learning Mobile Agents ... that the k th agent at **node** i will ...

[Cited by 13](#) - [Related articles](#) - [BL Direct](#) - [All 4 versions](#)

[PDF] ► [NEXUS-Distributed Data Management Concepts for **Location Aware** Applications](#)

S Voiz, M Sester - ... Workshop on Emerging Technologies for Geo-based ..., 2000 - Citeseer

... At **first**, a **client** has to open a session before it can invoke services from SMS.

Then, the state of the **client** is stored within ... **Location Service** ... Server **node** ...

[Cited by 4](#) - [Related articles](#) - [View as HTML](#) - [All 3 versions](#)

[System and method for caching identification and **location** information in a computer network](#)

C Jenkins, R Childers - US Patent 6,157,925, 2000 - Google Patents

... which include locating different kinds of **location** identifiers in ... and clients, peer-to-peer **nodes**, or a ... tion of a distributed **hierarchical** partitioned object ...

[Cited by 15](#) - [Related articles](#) - [All 4 versions](#)

[PDF] ► [Comparison of bandwidth usage: Service **location** protocol and Jini](#)

J Govea, M Barbeau - School of Computer Science, Carleton University, 2000 - Citeseer

... URL, used to advertise services, contains the **location** of the ... allowing in this way a **hierarchical** lookup ... order to run a Jini service provider or a Jini **client**. ...

[Cited by 6](#) - [Related articles](#) - [View as HTML](#) - [All 8 versions](#)

[PDF] ► [Lightweight crash recovery in a wide-area **location** service](#)

G Ballintijn, M Van Steen, AS Tanenbaum - Proc 12th Conference on Parallel and Distributed ..., 1999 - Citeseer

... underlying wide-area network as a **hierarchy** of geographical ... regularly to determine whether the peer **node** is still ... Design of the Globe Wide-Area **Location Service** ...

[Cited by 5](#) - [Related articles](#) - [View as HTML](#) - [All 10 versions](#)

[PDF] ► [Location Based Services on mobile devices using 3D images](#)

O Choudary - Group, 1919 - choudary.perso.enseeiht.fr

... and satellite health information (all transmitted in the **first** part of ... agreement of the network operator to provide **location** services to the **client**. ...

[Related articles](#) - [View as HTML](#)

[PDF] ► [A method for the identification of the **location** of regional cultural boundaries](#)

T Kimes, C Haselgrove, I Hodder - Journal of Anthropological Archaeology, 1982 - docs.ksu.edu.sa

... by Cunobehn was both centralized and **hierarchical** and some ... specified radius at equally spaced **nodes** on the ... factors having dictated the **location** of settlement ...

[Cited by 14](#) - [Related articles](#) - [View as HTML](#)

[Emerging electronic library services and the idea of **location** independence](#)

C Tomer - Journal of Computing in Higher Education, 1992 - Springer

... by a local area network to an Internet **node**. ... Any **client** that is capable of translating a user's request ... a directory of servers in a widely accessible **location**. ...

[Cited by 5](#) - [Related articles](#) - [All 4 versions](#)

[On the lexicographic minimax approach to **location** problems](#)

W Ogryczak - European Journal of Operational Research, 1997 - Elsevier

... can be represented by a specific point (**node**) situated in ... expands this property on the entire **hierarchy** of distances ... In the case of **location** problem (1)(5) and ...

[Cited by 49](#) - [Related articles](#) - [All 5 versions](#)

[Private versus public service **location** behaviour](#)

H Beguin, T Ipanga - The Annals of Regional Science, 1991 - Springer

... process towards lower levels of central place **hierarchy**, in 1985 ... In all, there are thus 467 **nodes** in the ... as independent of accessibility and **location** and thus ...

[Cited by 1](#) - [Related articles](#) - [All 2 versions](#)

[book] **Systems of cities and facility location**

P Hansen, JV Henderson, 1987 - books.google.com

... utilitarian criterion, when the utility of a **client** at i ... related problem in which not only **location** but also ... The **first** case is that of decreasing marginal costs ...

[Cited by 16](#) - [Related articles](#) - [All 2 versions](#)

Did you mean to search for: [intitle:location hierarchical node client first second link attribute based OR OR OR **content** OR OR OR aware](#)

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2009 Google